

We sincerely hope to cooperate with you,
create a better future together!

contact us.

Tel/Wechat/Whatsapp: +86 13913606704

E-mail: raven@sztmctech.com

Web: www.sztmctech.com

PROFESSIONAL ON VARIOUS FLOOR CLEANING MACHINE PRODUCTION AND SELING

Products Catalog



**Success begins with choice.
Premium quality creates future!**

Suzhou TMC Trading Co.,Ltd.

ABOUT US

Suzhou TMC Trading Co.,Ltd.is a professional company focused on various floor cleaning machine production and seling.We believe that our customers' success is our success!

TMC main products line:

Floor scrubbers

Including walk-behind, ride-on floor scrubbers, meet all kinds of cleaning request.

Floor sweepes

Especially for large area, outdoor road-cleaning, loved by customers, various styles for choices

Customized cleaning solutions

We provide customers with one-stop cleaning service design and support-product customization services.



Factory Close to Shanghai, Ningbo city, ≥ 10 R&D engineers , Whole line Producing, Reasonable price, Welcome to area agent cooperation!
Production standard ISO9001; certificate CE etc.
All these above, ensure that we have the ability to provide customers high-quality products with continuous and stable supply.

CONTENTS

01/ Floor Scrubber Machine

02/ Floor Sweeper Machine

03/ Floor Polisher

04/ Carpet Cleaner

TMC also provide customers with a variety of logistics and delivery services.

Welcome for distribution cooperation!

01

Floor scrubber machine

Suitable for tiles floor, epoxy floor, concrete floor, etc..
For relatively smooth floor, can effectively remove stains and dry the floor.

T-530

Walk-behind Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Simple design of SS steel squeegee kit with level



Manual panel



Visual water level tube



Plastic float cage/SS Steel optional

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Cost-effective entry-level floor scrubber:

- Button operation panel, easy to understand;
- SS steel squeegee kit, long service life; with level, easy to adjust.
- Large water injection port, faster and more convenient water injection;
- Built-in design of vacuum motor, unique silencing method, quieter and more comfortable;
- Visual sewage tank makes cleaning more convenient;
- Equipped with a water volume display, observe the water level change at any time;
- The brush plate has a pressurization function, which makes it easier to clean the floor with heavy stains;
- Use integrated control circuit, maintenance is more convenient;
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width(in)	21
Squeegee width	780mm
Brush quantity	1
Brush rpm	200RPM
Working capacity	2000 m2/h
Brush motor	24/500V/W
power	1150W
Suction vacuum	120 mbar
Fresh Tank	55L
Sewage Tank	60L
Dimensions (LxWxH)(in)	50*21.6*42.5
size (L*W*H) (in)	56*25*47.6
Battery voltage(V)	24V
Operating noise level-std.mode (dB(A))	<60dB(A)
Charging time(H)	3-4

C-530

Walk-behind Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Upgradewalk-behind floorscrubber:

- Intelligent panel, easy to operate;
- Upgrade Aluminum squeegee kit with level, preventing corrosion; tools-free, easy to adjust.
- Large water injection port, faster and more convenient water injection;
- Built-in design of vacuum motor; eco mode optional, reduce noise; SS steel cover with cooling holes.
- Visual sewage tank makes cleaning more convenient;
- Equipped with a water volume display, observe the water level change at any time;
- The brush plate has a pressurization function, easy to clean the floor with heavy stains;
- Use integrated control circuit, maintenance is more convenient;
- SS Steel float filter cage, better to protect the motor.
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width(in)	21
Squeege width	780mm
Brush quantity	1
Brush rpm	200RPM
Working capacity	2200 m2/h
Brush motor	24/500V/W
power	1150W
Suction vacuum	120mbar
Fresh Tank	55L
Sewage Tank	60L
Dimensions (LxWxH)(in)	50*21.6*42.5
size (L*W*H) (in)	56*25*47.6
Battery voltage(V)	24V
Operating noise level-std.mode (dB(A))	<60dB(A)
Charging time(H)	3-4

C-510

Walk-behind Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Premium level floor scrubber:

- Intelligent panel, easy to operate;
- Upgrade Aluminum squeegee kit with level, preventing corrosion; tools-free, easy to adjust.
- Equipped with magnetic brush plate, easy to install and replacement, reducing the difficulty of use.
- Built-in design of vacuum motor; eco mode optional, reduce noise; SS steel cover with cooling holes.
- Filter waste basket, used for effective sorting, extend motor working life
- Equipped with a water volume display, observe the water level change at any time;
- Equipped with standard parking brake calliper, safe to use.
- SS Steel float filter cage, better to protect the motor.
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width	830mm
Squeege width	510mm (20 inch)
Working capacity	1500sqm/h
Brush power	550W
Vacuum power	400W
Battery	24V
Fresh tank	50L
Sewage tank	55L
Brush speed	200rpm
Working time	3.5H~4H
Weight	85KG
Noise	61 dB
Dimension	128x83x98cm(LxWxH)

T-01

Hand-push Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Equip cleaning bag,
different clean tools



Double brushes



Sewage tank

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Multi-function floor scrubber:


- Double brushes, large cleaning area;
- Equipped with different brushes and cleaning tools, suitable for land reclamation and cleaning work;
- Equipped with a high-pressure water gun, it can clean high-rise glass or walls.
- Very easy to operate, suitable for all ages.
- Compact body, easy to turn.
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Brush width	26cm*2
Squeegee width	780mm
Sewage tank	50L
Fresh tank	40L
Brush motor	12/40V/W*2
Vacuum motor	12/300V/W brushless
Suction vacuum	40000r
Battery	12V maintenance-free
Working time	2.5~3h
Charging time	8~9h
Machine weight	45kg
Machine size	1290*540*950mm(L-W-H)
Operating noise level-std.mode(dB(A))	<60dB(A)

T-350

Hand-push Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Smart panel

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Mini floor scrubber:

- Rubber wheels, effective anti-slip.
- Hard bristle brush, efficient removal of stubborn stains on the ground.
- Intelligent control panel, easy to operate.
- Washing, brushing and drying, three effects in one.
- The compact body is suitable for cleaning small spaces or small areas, and is the best choice for small supermarkets or workshops.

Working width	350mm
Squeegee width	430mm
Brush quantity	1
Brush speed	230RPM
Working capacity	2000m2/h
Brush motor	400W
Vacuum motor	400W
Fresh Tank	20L
Sewage Tank	21L
Dimensions(LxWxH)	720*440*900mm
Battery voltage(V)	12V32A*2
Weight	55KG

M-30

Mini Walk-behind Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Simple one-key start panel



Battery and charger equipped with machine



Visible sewage tank

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Mini floor scrubber:

- Rubber wheels, effective anti-slip.
- Hard bristle brush, efficient removal of stubborn stains on the ground.
- Intelligent control panel, easy to operate.
- Washing, brushing and drying, three effects in one.
- Battery and charger equipped with machine, easy to charge.
- The compact body is suitable for cleaning small spaces or small areas, and is the best choice for small supermarkets or workshops.

Working width	381MM
Squeege width	545MM
Brush	381MM
Brush rpm	160RPM
Working capacity	1750 m2/h
Brush motor	24/300V/W
power	600W
Suction vacuum	120 mbar
Suction motor	24/300V/W
Fresh Tank	27L
Sewage Tank	30L
Dimensions(LxWxH)	1100*550*825mm
Battery voltage(V)	24V/50AH
Operating noise level-std.mode(dB(A))	<60dB(A)
Charging time(H)	3-4

M-30L

Mini Walk-behind Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Battery/Cable version optional

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Mini floor scrubber:

- Rubber wheels, effective anti-slip.
- Hard bristle brush, efficient removal of stubborn stains on the ground.
- Intelligent control panel, easy to operate.
- Washing, brushing and drying, three effects in one.
- The compact body is suitable for cleaning small spaces or small areas, and is the best choice for small supermarkets or workshops.
- Maintenance-free AGM battery as standard, and cable version is optional.

Working width	580MM
Squeege width	580MM
Brush	430MM
Brush rpm	180RPM
Working capacity	1750 m2/h
Brush motor	24/300V/W
power	500W
Suction vacuum	120 mbar
Suction motor	400W
Fresh Tank	25L
Sewage Tank	30L
Dimensions(LxWxH)	92*62*95cm
Battery voltage(V)	24V/83AH
Operating noise level-std.mode(dB(A))	<60dB(A)
Charging time(H)	3-4

M-5

Mini Hand-push Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Mini hand-push floor scrubber:

- Rubber wheels, effective anti-slip.
- Double brushes, efficient removal of stubborn stains on the ground.
- Intelligent control panel, easy to operate.
- Can be tilted at different angles to fit in and out of narrow aisles
- Easy to store, beautiful appearance, and the water tank is detachable for easy cleaning.
- The compact body is suitable for cleaning small spaces or small areas, and is the best choice for offices, workshops etc..
- Removable lithium battery as standard.

Squeege width	450MM
brush width(in)	8 *2pcs
Fresh tank	4L
Sewage tank	6.5L
Battery	36V8Ah
Working time	1-1.2h
Brush pressure	8KG
Brush motor	300W brushless
Vacuum motor	140W Wet and dry brushless
Outlet valve	7.5W
noise level(dB(A))	<65dB(A)
Charge time	3h
Machine weight	19.5KG
Gross weight	27KG
Machine size(LWH)	525*380*1155MM

T-560

Mini Ride-on Floor Scrubber (single brush)

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Mini ride-on floor scrubber, single brush:

- Intelligent panel, easy to operate;
- Large water injection port, faster and more convenient water injection;
- Built-in design of vacuum motor;
- Equipped with a water volume display, observe the water level change at any time;
- Use integrated control circuit, maintenance is more convenient;
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width (in)	21
Squeege width(in)	32
Brush quantity	1
Brush rpm	200RPM
Working capacity	2200 m2/h
Brush motor	24/550V/W
power 1700W	1700W
Suction vacuum	145 mbar
Recovery Tank	80L
Sewage Tank	85L
Dimensions (L x W xH) (in)	55*27.5*43
size (L*W*H) (in)	56*28*49
Battery voltage (V)	24V
Operating noise level-std.mode(dB(A))	<60dB(A)
Charging time(H)	3-4

C-660

Mini Ride-on Floor Scrubber (double brushes)

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Intelligent operating system



Double 13inch brushes



LED light



Tool-free adjustment, anti-rust and anti-corrosion aluminum squeegee kit with level

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Upgrade double brushes mini ride-on floor scrubber:

- Intelligent panel, easy to operate;
- Upgrade Aluminum squeegee kit with level, preventing corrosion; tools-free, easy to adjust.
- LED light equipped.
- Built-in design of vacuum motor;SS steel cover with cooling holes.
- Equipped with a water volume display, observe the water level change at any time;
- Use integrated control circuit, maintenance is more convenient;
- SS Steel float filter cage, better to protect the motor.
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width (in)	21
Squeegee width(in)	32
Brush quantity	2
Brush rpm	200RPM
Working capacity	2200 m2/h
Brush motor	24/550V/W
power	1700W
Suction vacuum	145 mbar
Fresh Tank	80L
Sewage Tank	85L
Dimensions (L x W xH) (in)	55*27.5*43
size (L*W*H) (in)	56*28*49
Battery voltage (V)	24V
Operating noise level-std.mode(dB(A))	<60dB(A)
Charging time(H)	3-4

T-860

Medium Ride-on Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



intelligent panel



Double 16inch brushes rear drive system



Simple design of SS steel squeegee kit

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Medium double brushes ride-on floor scrubber:

- Intelligent panel, easy to operate;
- Large water injection port, faster and more convenient water injection;
- Built-in design of vacuum motor;
- Equipped with a water volume display, observe the water level change at any time;
- Use integrated control circuit, maintenance is more convenient;
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width (in)	35
Squeegee width(in)	41
Brush quantity	2
Brush rpm	160RPM
Working capacity	2200 m2/h
Brush motor	24/400*2 V/W
power	2200W
Suction vacuum	165 mbar
Recovery Tank	125L
Sewage Tank	135L
Dimensions (L x W xH) (in)	64*28*51
size (L*W*H) (in)	65*31*58
Battery voltage (V)	24V
Operating noise level-std.mode(dB(A))	<63dB(A)
Charging time(H)	3-4

C-860

Medium Ride-on Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Upgrade Medium double brushes ride-on floor scrubber:

- Intelligent panel, easy to operate;
- Upgrade Aluminum squeegee kit with level, preventing corrosion; tools-free, easy to adjust.
- Built-in design of vacuum motor;SS steel cover with cooling holes.
- Equipped with a water volume display, observe the water level change at any time;
- Use integrated control circuit, maintenance is more convenient;
- LED light equipped.
- SS Steel float filter cage, better to protect the motor.
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width (in)	35
Squeegee width(in)	41
Brush quantity	2
Brush rpm	160RPM
Working capacity	2200 m2/h
Brush motor	24/400*2 V/W
power	2200W
Suction vacuum	165 mbar
Recovery Tank	125L
Sewage Tank	135L
Dimensions (L x W xH) (in)	64*28*51
size (L*W*H) (in)	65*31*58
Battery voltage (V)	24V
Operating noise level-std.mode(dB(A))	<63dB(A)
Charging time(H)	3-4

C-1100

Large Ride-on Floor Scrubber

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Upgrade large double brushes ride-on floor scrubber:

- Intelligent panel, easy to operate;
- Upgrade Aluminum squeegee kit with level, preventing corrosion; tools-free, easy to adjust.
- Large 235L sewage tank, improved working efficiency.
- Use integrated control circuit, maintenance is more convenient;
- LED light equipped.
- Magnetic brush plate for easy installation and replacement.
- SS Steel float filter cage, better to protect the motor.
- Maintenance-free AGM battery as standard, and lithium battery is optional.

Working width (in)	45
Squeegee width(in)	51
Brush quantity	2,19inch each
Brush rpm	160RPM
Working capacity	9450 sqm/h
Brush motor	24/400*2 V/W
Tractor motor	24/650 V/W
Suction motor	36/700*2 V/W
Suction vacuum	215 mbar
Clean water tank	220L
Sewage tank	235L
Battery voltage (V)	6/200*6 V/W
Operating noise level-std.mode(dB(A))	<63dB(A)
Charging time(H)	3-4
Max gradient	16%
Work speed	9km/h

T-S90

Floor Scrubber and Sweeper

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Floor Sweeper Function

Rated voltage	DC72V
Length of main brush	800mm
The side brush diameter	500mm*2
Main brush power (Motor)	800W
Side brush power (Motor)	100W*2
Putter power (Motor)	100*3
Dust vibration power (Motor)	100W*2
Bin capacity	80L
Vacuum filter area	9.1m ²
Battery	12*DC6V 200Ah

Floor Scrubber Function

Working width	550*2mm
Brush motor	650W*2
Vacuum motor	600W*2
Brush lift-down power (Motor)	280W
Squeegee lift-down power(Motor)	100W
Pump power (Motor)	300W
Fresh tank	330L
Sewage tank	355L
Squeegee width	1450mm
Brush pressure	35kg
Traction drive motor	4.8kW
No load climbing capacity	30.0°
Net weight without batteries	1515kg
Noise level	75dBA
Dimensions (L*W*H)	2850*1500*1580mm

Application:

Applicable to floor cleaning, washing and maintenance in hospitals, factories, logistics centers, supermarkets, hotels, railway stations, airports and other places.

Both floor sweeper and floor scrubber function:

- Equipped with reversing image for easy operation.
- Large-capacity dust box and water tank.
- Equipped with dust suppression spray to protect the environment.
- High-pressure water gun for easy washing of stubborn stains on the road.
- Can clean the road surface + wash and dry at the same time, very suitable for properties, railway stations, airports and other places.




- Intelligent control panel with reversing image
- A row of sprayer gun equipped on the rear, efficient dust reduction
- High-pressure water gun equipped on the rear.

Floor scrubber and sweeper
2 fuctions together,
ceiling for choice

Consumables Working Life

Different ground materials and roughness will affect the accessories working life



NOTE:The above data are for reference only, and the specific calculation is based on the actual usage on site.

Floor scrubberconsumables spareparts for reference.
Choose to purchaseadditionalconsumables asrequest.

02

Floor Sweeper Machine

Suitable for outdoor / complex road surfaces with gravel, debris, and uneven surfaces etc.. Machine can effectively solve complex road plot problems, clean up large pieces of garbage, and improve work efficiency.

T-S1

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- Quickly replace the battery device, the power never stops.
- The cleaning width is 1250mm, which can enter the standard size elevator and shuttle between floors for cleaning.
- The patented two-level anti-dust sealing design says goodbye to the dusty indoor environment.
- High-power drive motor and stronger climbing ability.
- Large filtering area to avoid dust for a longer time
- Fiberglass shell, impact-resistant, heat-resistant and low-temperature-resistant

Working width	1250
Sweeping capacity	6300sqm/h
Climbing	25%
Turning	1050mm
Driving (Motor)	1.2kw
Work power (Motor)	800W+700W+100W*2
Dustbin capacity	80L
Working time	4-5H
Size LWH	1320X1000X1300mm
Battery	48V
Water tank	70L
Main brush width	500mm
Side brush width	400mm
Vacuum filter area	4.3mm
Work speed	0-6km/h
Weight	390KG
Max running speed	12km/h

T-S3

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- Both forward and backward are possible
- The gear-driven steering system improves the flexibility of turning, reduces the turning angle, and facilitates operation.
- The 1400mm wide working surface greatly improves work efficiency
- The patented electric rear axle is equipped with a vehicle differential system, which enhances driving stability and operability.
- The patented adjustable vibration reduction system reduces the bumpiness of the vehicle and extends the service life of each system.
- The hydraulic braking system is adopted to effectively ensure the braking distance and improve the safety of the driver.
- The push rod motor device can raise the brush by 5cm, effectively preventing the bristles from being damaged and deformed when not working.

Working width	1250
Sweeping capacity	6300sqm/h
Climbing	25%
Turning	1050mm
Driving (Motor)	1.5kw
Work power (Motor)	800W+700W+100W*2+100W
Dustbin capacity	135L
Working time	4-5H
Size LWH	1700X1200X1350MM
Battery	36V
Water tank	90L
Main brush width	700mm
Side brush width	500mm
Vacuum filter area	4.3mm
Work speed	7km/h
Weight	490KG
Max running speed	12km/h

T-S8

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- Both forward and backward are possible
- The gear-driven steering system improves the flexibility of turning, reduces the turning angle, and facilitates operation.
- The 1850mm wide working surface greatly improves work efficiency
- The patented electric rear axle is equipped with a vehicle differential system, which enhances driving stability and operability.
- The patented adjustable vibration reduction system reduces the bumpiness of the vehicle and extends the service life of each system.
- The hydraulic braking system is adopted to effectively ensure the braking distance and improve the safety of the driver.
- The push rod motor device can raise the brush by 5cm, effectively preventing the bristles from being damaged and deformed when not working.

Working width	1850
Sweeping capacity	9450sqm/h
Climbing	25-30%
Turning	1300mm
Driving (Motor)	2.2kw
Work power (Motor)	800+1400+100*2+100*2
Dustbin capacity	220L
Working time	4-5H
Size LWH	2030X1850X1950mm
Battery	48V
Water tank	100L
Main brush width	800mm
Side brush width	500mm
Vacuum filter area	8.6mm
Work speed	0-7km/h
Weight	590KG
Max running speed	12km/h

T-S9

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- 4pcs side brushes, sweeping width of 2100mm, high working efficiency.
- Built-in powerful dust control system, stronger dust suction ability.
- Adopt high-performance maintenance-free battery, no leakage, no harmful gas. -Possess the advanced sweeping and throwing technology of the machine
- The theoretical value of dust box utilization can reach 100%
- High-pressure atomization dust suppression system to avoid secondary dust.
- Reliable high-quality parts, effectively reduce maintenance and repair costs
- Solid tires, dedicated to airports, sturdy and durable.
- Electronic control system, over current, under voltage protection, heavier chassis.

Working width	2000
Sweeping capacity	12000sqm/h
Climbing	25-30%
Turning	1800mm
Driving (Motor)	2.2kw
Work power (Motor)	800+700+100*4+100*4
Dustbin capacity	250L
Working time	4-6H
Size LWH	2450X1980X2000mm
Battery	48V
Water tank	100L
Main brush width	700mm
Side brush width	500mm
Vacuum filter area	4.8mm
Work speed	0-8km/h
Weight	890KG
Max running speed	12km/h

T-S16

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- 4pcs side brushes, sweeping width of 2100mm, high working efficiency.
- Built-in powerful dust control system, stronger dust suction ability.
- Adopt high-performance maintenance-free battery, no leakage, no harmful gas. -Possess the advanced sweeping and throwing technology of the machine
- The theoretical value of dust box utilization can reach 100%
- High-pressure atomization dust suppression system to avoid secondary dust.
- Reliable high-quality parts, effectively reduce maintenance and repair costs
- Solid tires, dedicated to airports, sturdy and durable.
- Electronic control system, over current, under voltage protection, heavier chassis.

Working width	2100
Sweeping capacity	16800sqm/h
Climbing	25-30%
Turning	2800mm
Driving (Motor)	3kw
Work power (Motor)	1600+1400+100*4+100*4
Dustbin capacity	240L
Working time	6-8H
Size LWH	2320X2100X2200mm
Battery	48V
Water tank	240L
High pressure gun	130bar
Main brush width	800mm
Side brush width	500mm*4
Vacuum filter area	14.5sqm
Work speed	0-8km2/h
Weight	1290KG
Max running speed	12km/h

T-S20

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- 4pcs side brushes, sweeping width of 2100mm, high working efficiency.
- Built-in powerful dust control system, stronger dust suction ability.
- Adopt high-performance maintenance-free battery, no leakage, no harmful gas. -Possess the advanced sweeping and throwing technology of the machine
- The theoretical value of dust box utilization can reach 100%
- High-pressure atomization dust suppression system to avoid secondary dust.
- Reliable high-quality parts, effectively reduce maintenance and repair costs
- Solid tires, dedicated to airports, sturdy and durable.
- Electronic control system, over current, under voltage protection, heavier chassis.

Working width	2100
Sweeping capacity	16800sqm/h
Climbing	25-30%
Turning	2800mm
Driving (Motor)	3kw
Work power (Motor)	1600+1400+100*4+100*4
Dustbin capacity	240L
Working time	6-8H
Size LWH	2320X2100X2200mm
Battery	48V
Water tank	300L
Main brush width	900mm*6
Side brush width	500mm*4
Vacuum filter area	8.6sqm
Work speed	0-8km2/h
Weight	1290KG
Max running speed	12km/h

C-S240

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Fully enclosed floor sweeper

Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- Italian smart cleaning system, fully integrated circuit control board docking, can remotely control the machine operation status through computers and mobile phones, including the machine walking track, the working status of the whole machine and each component, and the fault code can be transmitted to the mobile phone for easy management.
- Chip-type high-integration electronic control system, automatic short-circuit protection, automatic stop operation when overcurrent is prevented.
- Newly added large-capacity storage box is more user-friendly and highly applicable.
- The main brush width is up to 850mm, and the cleaning effect is completely upgraded.
- Multimedia equipment is equipped with radio, car music and USB charging.
- Humanized car handbrake sedan-style handbrake.
- Convenient filter cleaning external dust blowing duct, daily filter cleaning, no need to remove the filter, simple and fast.

Working width	2000MM
Sweeping capacity	20000sqm/h
Climbing	35%
Total power	5280W
Work power (motor-W)	brush 700+vacuum 600+side brush 100*4+dust 80
Dustbin capacity	240L
Working time	6-8H
Filter area	14 sqm
Battery	48V
Water tank	100L
Main brush width	850mm
Side brush width	550mm
Drive motor	3500 W(3.5T AC drive)
Work speed	7-10km/h
Weight	1200KG
Max running speed	15km/h

C-S240L

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Fully enclosed floor sweeper
· Air conditioning optional
· Li-jon battery optional
· LED ads screen optional

Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- Italian smart cleaning system, fully integrated circuit control board docking, can remotely control the machine operation status through computers and mobile phones, including the machine walking track, the working status of the whole machine and each component, and the fault code can be transmitted to the mobile phone for easy management.
- Equipped a universal 240L trash bin to facilitate the transfer of garbage after cleaning; and it is equipped with a full-load sensor for the trash bin (full-load garbage sensor-automatically stop function optional)
- The patented shock absorption system adopts a double-rod balanced connection structure and a high-quality hydraulic damping shock absorption spring.
- The LED advertising screen at the rear of the vehicle can be used to display advertisements.

Sweeping width	2200mm
Working capacity	20000 sqm/h
Working time	6-8H
Trash bin capacity	240L
Filter area	10*2 sqm
Main brush width	700mm
Front side brush width	600mm
Rear side brush width	550mm
Max running speed	18km/h
Sweeping speed	7-12km/h
Climbing ability	35°
Battery	60V
Machine weight	1500KG
Power	700W+600W*2+300W+100W*4+500W+80W
Driving power	3500W (AC)
Total power	6680W
Sprayer tank	100L
size	2850*2200*1950mm

C-S240LP

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



· Standard Li-ion battery
· Air conditioning optional
· Fog Cannon optional
· LED ads screen optional
· High pressure washingoptional

Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- Italian smart cleaning system, fully integrated circuit control board docking, can remotely control the machine operation status through computers and mobile phones, including the machine walking track, the working status of the whole machine and each component, and the fault code can be transmitted to the mobile phone for easy management.
- Chip-type high-integration electronic control system, automatic short-circuit protection, automatic stop operation when overcurrent is prevented.
- Multimedia equipment is equipped with radio, car music and USB charging.
- Humanized car handbrake sedan-style handbrake.
- Convenient filter cleaning external dust blowing duct, daily filter cleaning, no need to remove the filter, simple and fast.

Sweeping width	1400-1800mm
Working capacity	12600 sqm/h
Working time	6-8H
Trash bin capacity	240L
Main brush width	800mm
Max running speed	15km/h
Sweeping speed	5-7km/h
Climbing ability	25%
Battery	72V
Machine weight	1200KG
Power	3000W+1500W+1500W+400W* 2=6800W
Driving power	7500W
Total power	14300W
Sprayer tank	100L
Weight	1200kg
size	2900*1800*2180MM

C-S240A

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



- Standard AGM battery
- Air conditioning optional
- Li-ion battery optional
- Handheld straw optional
- Telescopic arm optional



Application:

Rubber floor, asphalt floor, terrazzo floor, cement floor, stone road etc.. Suitable for cleaning uneven road surface, places with a lot of debris and debris.

Features

- Italian smart cleaning system, fully integrated circuit control board docking, can remotely control the machine operation status through computers and mobile phones, including the machine walking track, the working status of the whole machine and each component, and the fault code can be transmitted to the mobile phone for easy management.
- Chip-type high-integration electronic control system, automatic short-circuit protection, automatic stop operation when overcurrent is prevented.
- Multimedia equipment is equipped with radio, car music and USB charging.
- Humanized car handbrake sedan-style handbrake.
- Convenient filter cleaning external dust blowing duct, daily filter cleaning, no need to remove the filter, simple and fast.

Sweeping width	2200mm
Working capacity	20000 sqm/h
Working time	6-8H
Trash bin capacity	240L
Filter area	10*2 sqm
Main brush width	700mm
Front side brush width	600mm
Rear side brush width	550mm
Max running speed	18km/h
Sweeping speed	7-12km/h
Climbing ability	35°
Battery	60V
Machine weight	1500KG
Power	700W+600W*2+300W+100W*4+500W+80W
Driving power	3500W (AC)
Total power	6680W
Sprayer tank	100L
size	2850*2200*1950mm

03

Floor Polisher

Suitable for various floors, marble, terrazzo, tiles, wood, carpet, grante etc.. multifunction,effective polishing and stain removal



F-P1

Single Floor Machine

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Suitable for various floors, marble, terrazzo, tiles, wood, carpet, grante etc.. multifunction,effective polishing and stain removal

Features

- All-steel comet gear, 100% torque transmission.
- F-class motor insulation protection (155°C) industry leading product.
- 1.5 Hp power motor, strong torque.
- Roto-molded motor base, corrosion-resistant and non-deformable.
- High-position brake handle, durable.
- No wearing parts in the main unit within 5 years.

Power	1.5 HP
Voltage	220 V
Speed	150 rpm
Working Width	18 inch / 460 mm
Cable Length	15 m
Weight	43 kg

F-P2

Heavy-duty Floor Machine

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Application:

Suitable for various floors, marble, terrazzo, tiles, wood, carpet, grante etc.. multifunction,effective polishing and stain removal

Features

- All-steel comet gear, 100% torque transmission.
- F-class motor insulation protection (155°C) industry-leading product.
- 1.5Hp power motor, strong torque.
- Roto-molded motor base, corrosion-resistant and non-deformable.
- High-position brake handle, durable.
- No wearing parts in the main unit within 5 years.
- Backpack-style brush plate buckle for easy storage.

Power	1.5 HP
Voltage	220 V
Speed	150 rpm
Working Width	18 inch / 460 mm
Cable Length	15 m
Weight	43 kg
Counterweight	15 kg(add water) 24 kg(add sand)

F-P3

High speed Floor Burinsher

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Brand new design, water or sand can be added to the tank, instead of iron blocks



Application:

Suitable for various floors, marble, terrazzo, tiles, wood, carpet, granite etc.. multifunction, effective polishing and stain removal

Features

- All-steel comet gear, 100% torque transmission.
- F-class motor insulation protection (155°C) industry-leading product.
- 1.5Hp power motor, strong torque.
- Roto-molded motor base, corrosion-resistant and non-deformable.
- High-position brake handle, durable.
- No wearing parts in the main unit within 5 years.
- It comes with a dust bag to prevent secondary pollution.

Power	1.5 HP
Voltage	220 V
Speed	2000 rpm
Working Width	20 inch / 508 mm
Cable Length	15 m
Weight	43 kg
Power	1.5 HP

04

Carpet cleaner

Suitable for carpet, curtain, sofa, chair etc..
Hot sale in hotel cleaning products category

L-P3

Steam Cleaner

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Vacuum power	800w
Steam power	1500w
Steam pressure	3-8 bar
Steam temperature	100°C
Steam flow	100-500ml/min
Fresh tank	14L
Sewage tank	8L
Throat pipe length	4m
Cable length	8m

- Suitable for cleaning sofas, carpets, curtains, mattresses, car interior seats and other cleaning needs.
- Different colors custom supported

L-P300

Carpet Cleaner

Mainly used for cleaning epoxy resin floors, cement floors, marble floors, polished tile floors, concrete floors, terrazzo floors, etc.



Working width	380mm
Brush speed	900r/min
Vacuum motor	1200w
Fresh tank	38L
Sewage tank	30L
Weight	44kg
Cable length	15m
Size	900*460*860mm

- It can deeply clean the roots of carpets and effectively comb the carpet hair, making the carpet bright and new and more elastic.
- Spraying, vacuum and brush at the same time.
- Triple filtration and split nozzle, easy to disassemble
- Automatic adjustment of roller brush height
- Various colors customization supported

Culture



Values

Efficient, Transparency and Do Integrity
Magnanimity, Humility and Do Justice Business

Vision

High-quality floor scrubbers that customers can afford
Be recognized and respected by society

Mission

Become a loyal partner of global customers
Behavioural example of competitors in the same industry
Continuously aiming for a clean environment

